

Client: RO Peptides

Certified: 07/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157/TB-500	Form	Lyophilized Powder
Batch	BPC/TB 20061626	Labeled Qty	20 mg
Cap Color	Clear	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.474%
Blend Avg Net Content	(~20mg)	21.26 mg
Blend Identification (LC-MS)	(BPC-157/TB-500)	BPC-157/TB-500
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
14 Day Sterility Screening	(No Growth)	No microbial growth detected

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.318	21.92
Vial 2	99.629	20.59
Batch Average	99.474%	21.26 mg

BLEND COMPONENT ANALYSIS



Component	Labeled	Measured
BPC-157	10 mg	10.74 mg
TB-500(TB-4)	10 mg	11.18 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lamar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-C7A690
Access Code: OHR37WO